

Full list of refereed publications – Mark Lacy

Near-infrared spectrophotometry of eight 3CR radiogalaxies: the first detections of [OIII]500.7 and [SIII]953.2 emission lines in galaxies with $z > 1$.

Steve Rawlings, Steve Eales & **Mark Lacy**, 1991, MNRAS, 251, 17P-21P

A Complete Sample Radio Sources in the North Ecliptic Cap Selected at 38 MHz—I The Radio Data.

Mark Lacy, Steve Rawlings & P.J. Warner, 1992, MNRAS, 256, 404-424

The radio properties and environment of the remarkable radio-quiet quasar E1821+643.

Mark Lacy, Steve Rawlings & Gary J. Hill, 1992, MNRAS, 258, 828-832

An optically-luminous radiogalaxy at $z = 3.22$ and the $K - z$ diagram at high redshift.

Stephen A. Eales, Steve Rawlings, Mark Dickinson, Hyron Spinrad, Gary J. Hill & **Mark Lacy**, 1993, ApJ, 409, 578-583

A Complete Sample Radio Sources in the North Ecliptic Cap Selected at 38 MHz—II. CCD observations and their implications

Mark Lacy, Gary J. Hill, Mary-Elizabeth Kaiser & Steve Rawlings, 1993, MNRAS, 263, 707-734

8C0821+69: a giant radio galaxy at $z = 0.538$

Mark Lacy, Steve Rawlings, Richard Saunders & P.J. Warner, 1993, MNRAS, 264, 721-728

A new interpretation for 3C356 and its implications for distant radiogalaxies

Mark Lacy & Steve Rawlings, 1994, MNRAS, 270, 431-438

Samples of ultra-steep spectrum radio sources

H.J.A. Röttgering, **M. Lacy**, G.K. Miley, K.C. Chambers & R. Saunders, 1994, A&AS, 108, 79-141

8C1435+635: a radiogalaxy at $z = 4.25$

Mark Lacy, George Miley, Steve Rawlings, Richard Saunders, Mark Dickinson, Simon Garrington, Steve Maddox, Guy Pooley, Charles C. Steidel, M.N. Bremer, Garrett Cotter, Rob van Ojik, Huub Röttgering & Peter Warner, 1994, MNRAS, 271, 504-512

The reddened quasar 3C22

Steve Rawlings, **Mark Lacy**, D.S. Sivia & Steve Eales, 1994, MNRAS, 274, 428-434

3C65: Buried quasar or old galaxy?

Mark Lacy, Steve Rawlings, Steve Eales & J.S. Dunlop, 1994, MNRAS, 273, 821-826

A multi-frequency study of the radio-quiet quasar E1821+643.

Katherine M. Blundell & **Mark Lacy**, 1995, MNRAS, 274, L9-L13

Spectroscopic evidence that the extreme properties of IRAS F10214+4724 are due to gravitational lensing

Stephen Serjeant, **Mark Lacy**, Steve Rawlings, Lindsay J. King & D.L. Clements, 1995, MNRAS, 276, L31-L34

A radio-optical survey of the North Ecliptic Cap

M. Lacy, J.M. Riley, E.M. Waldram, R.G. McMahon & P.J. Warner, 1995, MNRAS, 276, 614-626.

4C39.24: Discovery of a ‘giant’ radio galaxy at $z = 1.88$

J.D.B. Law-Green, S.A. Eales, J.P. Leahy, S. Rawlings and **M. Lacy**, 1995, MNRAS, 277, 995-1005

A spectroscopic study of IRAS F10214+4724

S. Serjeant, S. Rawlings, **M. Lacy**, R. McMahon, A. Lawrence, M. Rowan-Robinson, M. Mountain, 1998, MNRAS, 298, 321

A study of 4C13.66 – the final identification and redshift for the revised 3C sample

S. Rawlings, **M. Lacy**, J.P. Leahy, J.S. Dunlop, S.T. Garrington & E. Lüdke, 1996, MNRAS, 279, L13-L20

Imaging of the field of 4C41.17 below the Lyman limit

M. Lacy & S. Rawlings, 1996, MNRAS, 280, 888-894

Evidence for a black hole in a radio-quiet quasar

K.M. Blundell, A.J. Beasley, **M. Lacy** & S.T. Garrington, ApJ, 468, L91-L94

Optical and infrared investigation toward the quasar pair PC1643+4631A,B

R. Saunders, J. Baker, M. Jones, G. Pooley, K. Grainge, G. Cotter, M. Bremer, S. Rawlings, **M. Lacy**, A. Bunker, S. Eales, 1997, ApJLett, 479, L5-L9

A radio galaxy at $z=4.41$

S. Rawlings, **M. Lacy**, K.M. Blundell, S. Eales, A. Bunker, S.T. Garrington, 1996, Nature, 383, 502-505

A search for molecular gas in high redshift radio galaxies

R. van Ojik, H.J.A. Röttgering, P.P. van der Werf, G.K. Miley, C.L. Carilli, A. Visser, K.G. Isaak, **M. Lacy**, T. Jenness, J. Sleath and J. Wink, 1997, A&A, 321, 389-396

A first sample of faint radio sources with virtually complete redshifts: I. Infrared images, the Hubble diagram, and the alignment effect

S. Eales, S. Rawlings, D. Law-Green, G. Cotter, **M. Lacy**, 1997, MNRAS, 291, 593

Quasars from the 7C Survey - I sample selection and radio maps

J.M. Riley, S. Rawlings, R.G. McMahon, K.M. Blundell, P. Miller, **M. Lacy**, MNRAS, 307, 293

The radio-optical correlation in steep-spectrum quasars

S. Serjeant, S. Rawlings, S.J. Maddox, J.C. Baker, D. Clements, **M. Lacy** & P.B. Lilje, 1998, MNRAS, 294, 494

Evidence for diverse optical emission from gamma-ray burst sources

H. Pederson, A.O. Jaunsen, T. Grav, R. Ostensen, M.I. Anderson, M. Wold, H. Kristen, A. Broeils, M. Näslund, C. Fransson, **M. Lacy**, A.J. Castro-Tirado, J. Gorosabel, J.M. Rodriguez Espinoza, A.M. Perez, C. Wolf, R. Fockenbrock, J. Hjorth, P. Muhli, P. Hakala, L. Piro, M. Feroci, E. Costa, L. Nicastro, E. Palazzi, F. Frontera, L. Monaldi & J. Heise, 1998, ApJ letters, 496, 311

Photometry and spectroscopy of the GRB 970508 optical counterpart

A.J. Castro-Tirado, J. Gorosabel, N. Benitez, C. Wolf, R. Fockenbrock, E. Martinez-Gonzalez, H. Kristen, A. Broeils, H. Pederson, J. Greiner, E. Costa, M. Feroci, L. Piro, C. Bartolini, A.

Guarnieri, N. Masetti, A. Piccioni, M. Mignoli, M. Wold, **M. Lacy**, K. Birkle, T. Broadhurst, S. Brandt & N. Lund, 1998, Science, 279, 1011

A radio-jet – galaxy interaction in 3C441

M. Lacy, S. Rawlings, K.M. Blundell & S.E. Ridgway, 1998, MNRAS, 298, 966

IRAS F 10214+4724: the inner 100pc

M. Lacy, S. Rawlings & S. Serjeant, 1998, MNRAS, 299, 1220

The radio luminosity function of radio-loud quasars from the 7C redshift survey.

C.J. Willott, S. Rawlings, K.M. Blundell & **M. Lacy**, 1998, MNRAS, 300, 625

Radio-optical alignments in a low radio luminosity sample

M. Lacy, S.E. Ridgway, M. Wold, P.B. Lilje & S. Rawlings, 1999, MNRAS, 307, 420

Thermal-infrared imaging of 3C radio galaxies at $z \sim 1$

C. Simpson, S. Rawlings & **M. Lacy**, 1999, MNRAS, 306, 828

A complete sample of radio sources in the North Ecliptic Cap, selected at 38 MHz – III. further imaging observations and the photometric properties of the sample

M. Lacy, M.E. Kaiser, G.J. Hill & S. Rawlings, 1999, MNRAS, 308, 1087

Optical Spectroscopy of two overlapping, flux-limited samples of radio sources in the North Ecliptic Cap, selected at 38MHz and 151MHz

M. Lacy, S. Rawlings, G.J. Hill, A.J. Bunker, S.E. Ridgway and D. Stern, 1999, MNRAS, 308, 1096

The emission line-radio correlation for radio sources using the 7C Redshift Survey

C.J. Willott, S. Rawlings, K.M. Blundell & **M. Lacy**, 1999, MNRAS, 309, 1017

The giant radio galaxy 8C 0821+695 and its environment

Lara L., Mack K.-H., **Lacy M.**, Klein U., Cotton W.D., Feretti L., Giovannini G., Murgia M., 2000, A&A, 356, 63

The quasar fraction in the 7C Redshift Survey and implications for unified schemes.

C.J. Willott, S. Rawlings, K.M. Blundell & **M. Lacy**, 2000, MNRAS, 316, 449

Clustering of galaxies around radio quasars at $0.5 < z < 0.8$

M. Wold, **M. Lacy**, P.B. Lilje & S. Serjeant, 2000, MNRAS, 316, 267

The evolution of the stellar hosts of radio galaxies

M. Lacy, A.J. Bunker, S.E. Ridgway, 2000, AJ, 120, 68

Radio galaxy clustering at $z \sim 0.3$

M. Lacy, 2000, ApJL, 536, 1

Discovery of a Classic FR-II Broad Absorption Line Quasar from the FIRST Survey

M.D. Gregg, R.H. Becker, M.S. Brotherton, S.A. Laurent-Muehleisen **M. Lacy**, R.L. White, 2000, ApJ, 544, 142

A sample of 6C radio sources with virtually complete spectroscopic redshifts - II: Optical spectroscopy and the nature of the high redshift objects

S. Rawlings, S. Eales, **M. Lacy**, 2001, MNRAS, 322, 523

The radio luminosity function from the low frequency 3CRR, 6CE and 7CRS complete samples
C.J. Willott, S. Rawlings, K.M. Blundell, **M. Lacy**, S. Eales, 2001, MNRAS, 322, 536

A sample of 6C radio sources designed to find objects at redshift > 4: II – spectroscopy and emission line properties

M.J. Jarvis, S. Rawlings, **M. Lacy**, K.M. Blundell, A.J. Bunker, S. Eales, R. Saunders, H. Spinrad, D. Stern, C.J. Willott, 2000, MNRAS, in press

Radio-quiet quasar environments at $0.5 \leq z \leq 0.8$

M. Wold, **M. Lacy**, P.B. Lilje & S. Serjeant, 2000, MNRAS, 323, 231

Two colour photometric selection of high redshift galaxies

R. Stevens, **M. Lacy**, 2001, MNRAS, 325, 897

The radio-luminosity – black hole mass correlation for quasars in the FIRST Bright Quasar Survey, and a “unified scheme” for radio-loud and radio-quiet quasars

M. Lacy, S. Laurent-Muehleisen, S.E. Ridgway, R.H. Becker & R.L. White, 2001, ApJ, 551, L17

A sample of 6C radio sources designed to find objects at redshift $z > 4$ - II. Spectrophotometry and emission-line properties

Jarvis, M.J., Rawlings, S., **Lacy, M.**, Blundell, K.M., Bunker, A.J., Eales, S., Saunders, R., spinrad, H., Stern, D. & Willott, C.J., 2001, MNRAS, 326, 1563

On the redshift cutoff for steep-spectrum radio sources

M.J. Jarvis, S. Rawlings, C.J. Willott, K.M. Blundell, S. Eales, **M. Lacy**, 2001, MNRAS, 327, 907

The reddest quasars

M.D. Gregg, **M. Lacy**, R.L. White, E. Glikman, D. Helfand, R.H. Becker, M.S. Brotherton, 2002, ApJ, 564, 133

The reddest quasars. II. A gravitationally-lensed FeLoBAL quasar

Lacy, M., Gregg, M.D., Becker, R.H., White, R.L., Glikman, E. & Hefand, D.J., 2002, AJ, 123, 2925

Optical spectroscopy of radio galaxies in the 7C redshift survey

Willott, C.J., Rawlings, S., Blundell, K.M., **Lacy, M.**, Hill, G.J. & Scott, S.E., 2002, MNRAS, 335, 1120

AGN-selected clusters as revealed by weak lensing

Wold, M., **Lacy, M.**, Dahle, H., Lilje, P.B. & Ridgway, S.E., 2002, MNRAS, 335, 1017

Observations of Quasar Hosts with Adaptive Optics at Lick Observatory

Lacy, M., Gates, E.L., Ridgway, S.E., de Vries, W., Canalizo, G., Lloyd, J.P., Graham, J.R., 2002, AJ, 124, 3023

Giant Ly α Nebulae Associated with High-Redshift Radio Galaxies

Reuland, M., van Breugel, W., Röttgering, H., de Vries, W., Stanford, S.A., Dey. A., **Lacy, M.**, Bland-Hawthorn, J., Dopita, M. & Miley, G., 2003, ApJ, 592, 755

Two 100-Mpc-scale structures in the three-dimensional distribution of radio galaxies and their implications

Brand, K., Rawlings, S., Hill, G.J., **Lacy, M.**, Mitchell, E. & Tufts, G., 2003, MNRAS, 344, 283

Imaging and spectroscopy of galaxies associated with two $z \sim 0.7$ damped Lyman-alpha absorption systems

Lacy, M., Becker, R.H., Storrie-Lombardi, L.J., Gregg, M.D., Urrutia, T., White, R.L., 2003, AJ, 126, 2230

The Aligned $z \sim 1$ Radio Galaxy 3C 280

Ridgway, S.E., Stockton, A., **Lacy, M.**, 2004, ApJ, 600, 70

FIRST-2Mass Sources below the APM Detection Threshold: A Population of Highly Reddened Quasars

Glikman, E., Gregg, M. D., **Lacy, M.**, Helfand, D. J., Becker, R. H., & White, R. L. 2004, ApJ, 607, 60

The Infrared Array Camera (IRAC) for the Spitzer Space Telescope

Fazio, G. G., Hora, J. L., Allen, L. E., Ashby, M. L. N., Barmby, P., Deutsch, L. K., Huang, J.-S., Kleiner, S., Marengo, M., Megeath, S. T., Melnick, G. J., Pahre, M. A., Patten, B. M., Polizotti, J., Smith, H. A., Taylor, R. S., Wang, Z., Willner, S. P., Hoffmann, W. F., Pipher, J. L., Forrest, W. J., McMurry, C. W., McCreight, C. R., McKelvey, M. E., McMurray, R. E., Koch, D. G., Moseley, S. H., Arendt, R. G., Mentzell, J. E., Marx, C. T., Losch, P., Mayman, P., Eichhorn, W., Krebs, D., Jhabvala, M., Gezari, D. Y., Fixsen, D. J., Flores, J., Shakoorzadeh, K., Jungo, R., Hakun, C., Workman, L., Karpati, G., Kichak, R., Whitley, R., Mann, S., Tollestrup, E. V., Eisenhardt, P., Stern, D., Gorjian, V., Bhattacharya, B., Carey, S., Nelson, B. O., Glaccum, W. J., **Lacy, M.**, Lowrance, P. J., Laine, S., Reach, W. T., Stauffer, J. A., Surace, J. A., Wilson, G., Wright, E. L., Hoffman, A., Domingo, G., Cohen, M. 2004, ApJS, 154, 10

The First Measurements of Galaxy Clustering from Infrared Array Camera (IRAC) Data of the Spitzer First Look Survey

Fang, F., Shupe, D. L., Wilson, G., **Lacy, M.**, Fadda, D., Jarrett, T., Masci, F., Appleton, P. N., Armus, L., Chapman, S., Choi, P. I., Frayer, D. T., Heinrichsen, I., Helou, G., Im, M., Marleau, F. R., Soifer, B. T., Squires, G. K., Storrie-Lombardi, L. J., Surace, J., Teplitz, H. I., Yan, L. 2004, ApJS, 154, 35

Characterization of Extragalactic 24 Micron Sources in the Spitzer First Look Survey

Yan, L., Helou, G., Fadda, D., Marleau, F. R., **Lacy, M.**, Wilson, G., Soifer, B. T., Drozdovsky, I., Masci, F., Armus, L., Teplitz, H. I., Frayer, D. T., Surace, J., Storrie-Lombardi, L. J., Appleton, P. N., Chapman, S., Choi, P. Fan, F. Heinrichsen, I., Im, M., Schmitz, M., Shupe, D. L., Squires, G. K. 2004, ApJS, 154, 60

Extragalactic Source Counts at 24 Microns in the Spitzer First Look Survey

Marleau, F. R. Fadda, D. Storrie-Lombardi, L. J., Helou, G., Makovoz, D., Frayer, D. T., Yan, L., Appleton, P. N., Armus, L., Chapman, S., Choi, P. I., Fang, F., Heinrichsen, I., Im, M., **Lacy, M.**, Shupe, D., Soifer, B. T., Squires, G., Surace, J., Teplitz, H. I., Wilson, G. 2004, ApJS, 154, 66

Spitzer 24 Micron Observations of Optical/Near-Infrared-Selected Extremely Red Galaxies: Evidence for Assembly of Massive Galaxies at $z \sim 1 - 2$?

Yan, L., Choi, P., Fadda, D. T., Marleau, F. R., Soifer, B. T., Im, M., Armus, L., Frayer, D. T.,

Storrie-Lombardi, L. J., Thompson, D.J., Teplitz, H. I., Helou, G., Appleton, P.N., Chapman, S., Fan, F., Heinrichson, I., **Lacy, M.**, Shupe, D.L., Squires, G.K., Surace, J. & Wilson, G. 2004, ApJS, 154, 157

Infrared Properties of Radio-selected Submillimeter Galaxies in the Spitzer First Look Survey Verification Field

Frayer, D. T., Chapman, S. C., Yan, L., Armus, L., Helou, G., Fadda, D., Morganti, R., Garrett, M. A., Appleton, P., Choi, P., Fang, F., Heinrichsen, I., Im, M. **Lacy, M.**, Marleau, F., Masci, F. J., Shupe, D. L., Soifer, B. T., Squires, G. K., Storrie-Lombardi, L. J., Surace, J. A., Teplitz, H. I., Wilson, G. 2004, ApJ, 154, 137

The Far- and Mid-Infrared/Radio Correlations in the Spitzer Extragalactic First Look Survey
Appleton, P. N., Fadda, D. T., Marleau, F. R., Frayer, D. T., Helou, G., Condon, J. J., Choi, P. I., Yan, L., **Lacy, M.**, Wilson, G., Armus, L., Chapman, S. C., Fang, F., Heinrichson, I., Im, M., Jannuzi, B. T., Storrie-Lombardi, L. J., Shupe, D., Soifer, B. T., Squires, G. & Teplitz, H. I. 2004, ApJS, 154, 157

Obscured and Unobscured Active Galactic Nuclei in the Spitzer Space Telescope First Look Survey

Lacy, M., Storrie-Lombardi, L. J., Sajina, A., Appleton, P. N., Armus, L., Chapman, S. C., Choi, P. I., Fadda, D., Fang, F., Frayer, D. T., Heinrichsen, I., Helou, G., Im, M., Marleau, F. R., Masci, F., Shupe, D. L., Soifer, B. T., Surace, J., Teplitz, H. I., Wilson, G. & Yan, L., 2004, ApJS, 154, 166

Radio and near-infrared observations of the steep-spectrum Galactic plane radio source WKB 0314+57.8

Green, D. A., **Lacy, M.**, Bhatnagar, S., Gates, E. L., & Warner, P. J. 2004, MNRAS, 354, 1159

Simulating the Spitzer Mid-Infrared Color-Color Diagrams

Sajina, A., **Lacy, M.**, & Scott, D. 2005, ApJ, 621, 256

Chandra Observations of 12 Luminous Red Quasars

Urrutia, T., **Lacy, M.**, Gregg, M. D., & Becker, R. H. 2005, ApJ, 627, 75

The obscuration by dust of most of the growth of supermassive black holes

Martínez-Sansigre, A., Rawlings, S., **Lacy, M.**, Fadda, D., Marleau, F. R., Simpson, C., Willott, C. J., & Jarvis, M. J. 2005, Nat, 436, 666

The Infrared Array Camera Component of the Spitzer Space Telescope Extragalactic First Look Survey

Lacy, M., Wilson, G., Masci, F., Storrie-Lombardi, L. J., Appleton, P. N., Armus, L., Chapman, S. C., Choi, P. I., Fadda, D., Fang, F., Frayer, D. T., Heinrichsen, I., Helou, G., Im, M., Laine, S., Marleau, F. R., Shupe, D. L., Soifer, B. T., Squires, G. K., Surace, J., Teplitz, H. I. & Yan, L. 2005, ApJS, 161, 41

Spitzer imaging of i' -drop galaxies: old stars at $z \sim 6$

Eyles, L. P., Bunker, A. J., Stanway, E. R., **Lacy, M.**, Ellis, R. S., & Doherty, M. 2005, MNRAS, 364, 443

Spitzer 70 and 160 μm Observations of the Extragalactic First Look Survey

Frayer, D. T., Fadda, D., Yan, L., Marleau, F. R., Choi, P. I., Helou, G., Soifer, B. T., Appleton,

P. N., Armus, L., Beck, R., Dole, H., Engelbracht, C. W., Fang, F., Gordon, K. D., Heinrichsen, I., Henderson, D., Hesselroth, T., Im, M., Kelly, D. M., **Lacy, M.**, Laine, S., Latter, W. B., Mahoney, W., Makovoz, D., Masci, F. J., Morrison, J. E., Moshir, M., Noriega-Crespo, A., Padgett, D. L., Pesenson, M., Shupe, D. L., Squires, G. K., Storrie-Lombardi, L. J., Surace, J. A., Teplitz, H. I. & Wilson, G. 2006, AJ, 131, 250

Star Formation Rates and Extinction Properties of IR-luminous Galaxies in the Spitzer First Look Survey

Choi, P. I., Yan, L., Im, M., Helou, G., Soifer, B. T., Storrie-Lombardi, L. J., Chary, R., Teplitz, H. I., Fadda, D., Marleau, F. R., **Lacy, M.**, Wilson, G., Appleton, P. N., Frayer, D. T. & Surace, J. A. 2006, ApJ, 637, 227

Silicate Emission in the Spitzer IRS Spectrum of FSC 10214+4724

Teplitz, H. I., Armus, L., Soifer, B. T., Charmandaris, V., Marshall, J. A., Spoon, H., Lawrence, C., Hao, L., Higdon, S., Wu, Y., **Lacy, M.**, Eisenhardt, P. R., Herter, T. & Houck, J. R. 2006, ApJ, 638, 1L

The Spitzer Space Telescope Extragalactic First Look Survey: 24 μm Data Reduction, Catalog, and Source Identification

Fadda, D., Marleau, F. R., Storrie-Lombardi, L. J., Makovoz, D., Frayer, D. T., Appleton, P. N., Armus, L., Chapman, S. C., Choi, P. I., Fang, F., Heinrichsen, I., Helou, G., Im, M., **Lacy, M.**, Shupe, D. L., Soifer, B. T., Squires, G. K., Surace, J., Teplitz, H. I., Wilson, G. & Yan, L. AJ, 131, 2859

The 1-1000 μm spectral energy distributions of far-infrared galaxies

Sajina, A., Scott, D., Dennefeld, M., Dole, H., **Lacy, M.**, & Lagache, G. 2006, MNRAS, 369, 939

A population of high-redshift type 2 quasars - I. Selection criteria and optical spectra

Martínez-Sansigre, A., Rawlings, S., **Lacy, M.**, Fadda, D., Jarvis, M. J., Marleau, F. R., Simpson, C., & Willott, C. J. 2006, MNRAS, 370, 1479

XMM-Newton Detection of the Rare Fanaroff-Riley Type II Broad Absorption Line Quasar FIRST J101614.3+520916

Schaefer, J. J., Brotherton, M. S., Shang, Z., Gregg, M. D., Becker, R. H., Laurent-Muehleisen, S. A., **Lacy, M.**, & White, R. L. 2006, AJ, 132, 1464

Spectral Energy Distributions and Multiwavelength Selection of Type 1 Quasars

Richards, G. T. **Lacy, M.**, Storrie-Lombardi, L. J., Hall, P. B., Gallagher, S. C., Hines, D. C., Fan, X., Papovich, C., Vanden Berk, D. E., Trammell, G. B., Schneider, D. P., Vestergaard, M., York, D. G., Jester, S., Anderson, S. F., Budavári, T. & Szalay, A. S. 2006, ApJS, 166, 470

The nuclear regions of NGC 7582 from [Ne II] spectroscopy at 12.8 μm - an estimate of the black hole mass

Wold, M., **Lacy, M.**, Käufl, H.U. & Siebenmorgen R. 2006, A&A, 460, 449

Optical Spectroscopy and X-Ray Detections of a Sample of Quasars and Active Galactic Nuclei Selected in the Mid-Infrared from Two Spitzer Space Telescope Wide-Area Surveys

Lacy, M., Petric, A.O., Sajina, A., Canalizo, G., Storrie-Lomdardi,L.J., Armus, L., Fadda, D. & Marleau, F.R. 2007, AJ, 133, 186

The stellar mass density at $z \sim 6$ from Spitzer imaging of i' -drop galaxies

Eyles, L.P., Bunker, A.J., Ellis, R.S., **Lacy, M.**, Stanway, E.R., Stark, D.P., Chiu, K. 2007, MNRAS, 374, 910

Metal enriched gaseous halos around distant radio galaxies: Clues to feedback in galaxy formation

Reuland, M., van Breugel, W., de Vries, W., Dopita, M.A., Stern, D., Dey, A., Miley, G., Röttgering, H., Venemans, B., Stanford, S.A., **Lacy, M.**, Spinrad, H., Dawson, S., Stern, D. & Bunker, A. 2007, AJ, 133, 2607

A New Measurement of the Stellar Mass Density at $z \sim 5$: Implications for the Sources of Cosmic Reionization

Stark, D. P., Bunker, A. J., Ellis, R. S., Eyles, L. P., & **Lacy, M.** 2007, ApJ, 659, 84

An Investigation into the Effects of Luminosity on the Mid-Infrared Spectral Energy Distributions of Radio-Quiet Quasars

Gallagher, S.C., Richards, G.T., **Lacy, M.**, Hines, D.C., Elitzur, M., Storrie-Lombardi, L.J., 2007, ApJ, 661, 30

Evidence that FeLoBALs May Signify the Transition between an Ultraluminous Infrared Galaxy and a Quasar

Farrah, D., **Lacy, M.**, Priddey, R., Borys, C. & Afonso, J. 2007, ApJ, 662, L59

The influence of AGN nuclear parameters on the FRI/FRII dichotomy

Wold, M. Lacy, M. & Armus, L. 2007, A&A, 470, 531

The Massive Hosts of Radio Galaxies Across Cosmic Time

Seymour, N., Stern, D., De Breuck, C., Vernet, J., Rettura, A., Dickinson, M., Dey, A., Eisenhardt, P., Fosbury, R., **Lacy, M.**, McCarthy, P., Miley, G., Rocca-Volmerange, B., Röttgering, H., Stanford, S.A., Teplitz, H., van Breugel, W., Zirm, A. 2007, ApJS, 171, 353

Discovery of Radio Jets in $z \sim 2$ Ultraluminous Infrared Galaxies with Deep $9.7\mu\text{m}$ Silicate Absorption

Sajina, A., Yan, L., **Lacy, M.**, Huynh, M. 2007, ApJ, 667, L17

The FIRST-2MASS Red Quasar Survey

Gikman, E., Helfand, D.J., White, R.L., Becker, R.H., Gregg, M.D. & **Lacy, M.** 2007, AJ, 667, 673

Spectacular Shells in the Host Galaxy of the QSO MC2 1635+119

Canalizo, G., Bennert, N., Jungwiert, B., Sockton, A., Schweitzer, F., **Lacy, M.**, Peng, C. 2007, ApJ, 669, 801

Large Amounts of Optically Obscured Star Formation in the Host Galaxies of Some Type 2 Quasars

Lacy, M., Sajina, A., Petric, A.O., Seymour, N., Canalizo, G., Ridgway, S.E., Armus, L. & Storrie-Lombardi, L.J. 2007, ApJ, 669, L61

Mid-infrared spectroscopy of high-redshift obscured quasars

Martinez-Sansigre, A., **Lacy, M.**, Sajina, A., Rawlings S., 2008, ApJ, 674, 676

Evidence for Quasar Activity Triggered by Galaxy Mergers in HST Observations of Dust-reddened Quasars

Urrutia, T., **Lacy, M.**, & Becker, R. H. 2008, ApJ, 674, 80

Evidence for Merger Remnants in Early-Type Host Galaxies of Low-Redshift QSOs

Bennert, N., Canalizo, G., Jungwiert, B., Stockton, A., Schweizer, F., Peng, C. Y., & **Lacy, M.** 2008, ApJ, 677, 846

Infrared and millimetre-wavelength evidence for cold accretion within a $z = 2.83$ Lyman-alpha blob

Smith, D.J.B., Jarvis, M.J., **Lacy, M.** & Martínez-Sansigre, A. 2008, MNRAS, 389, 799

Mid-Infrared Spectra of High-Redshift ($z > 2$) Radio Galaxies

Seymour, N., Ogle, P., De Breuck, C., Fazio, G.G., Galametz, A., Haas, M., **Lacy, M.**, Sajina, A., Stern, D., Willner, S.P., Vernet, J. 2008, ApJL, 681, L1

The Evolution of Dusty Star Formation and Stellar Mass Assembly in Clusters: Results from the IRAC 3.6um, 4.5um, 5.8um and 8.0um Cluster Luminosity Functions

Muzzin, A., Wilson, G., **Lacy, M.**, Yee, H.K.C. & Stanford, S.A., 2008, ApJ, 686, 966

The FIRST-2MASS Red Quasar Survey II: An anomalously high fraction of LoBALS in searches for dust-reddened quasars

Urrutia, T., Becker, R. H., White, R. L., Glikman, E., **Lacy, M.**, Hodge, J., & Gregg, M. D. 2008, ApJ, in press (arXiv:0808.3668)

Photometry using the Infrared Array Camera on the Spitzer Space Telescope

Hora, J.L., Carey, S., Surace, J., Marengo, M., Lowrance, P., Glaccum, W.J., **Lacy, M.**, Reach, W.T., Hoffmann, W.F., Barmby, P., Willner, S.P., Fazio, G.G., Megeath, S.T., Allen, L.E., Bhattacharya, B., Quijada, M. 2008, PASP, 120, 1233

Eight-Dimensional Mid-Infrared/Optical Bayesian Quasar Selection

Richards, G.T., Deo, R.P., **Lacy, M.**, et al. 2009, AJ, 137, 3884

The Evolutionary History of Lyman Break Galaxies Between Redshift 4 and 6: Observing Successive Generations of Massive Galaxies in Formation

tark, D. P., Ellis, R. S., Bunker, A., Bundy, K., Targett, T., Benson, A., & **Lacy, M.** 2009, ApJ, 697, 1493

The FIRST-2MASS Red Quasar Survey. II. An Anomalously High Fraction of LoBALS in Searches for Dust-Reddened Quasars

Urrutia, T., Becker, R. H., White, R. L., Glikman, E., **Lacy, M.**, Hodge, J., & Gregg, M. D. 2009, ApJ, 698, 1095

Spectroscopic Confirmation of Two Massive Red-Sequence-Selected Galaxy Clusters at $z = 1.2$ in the SpARCS-North Cluster Survey

Muzzin, A., Wilson, G., Yee, H. K. C., Hoekstra, H., Gilbank, D., Surace, J., **Lacy, M.**, Blindert, K., Majumdar, S., Demarco, R., Gardner, J. P., Gladders, M. & Lonsdale, C., 2009, ApJ, 698, 1934

Spectroscopic Confirmation of a Massive Red-Sequence-Selected Galaxy Cluster at $z = 1.34$ in the SpARCS-South Cluster Survey

Wilson, G., Muzzin, A., Yee, H. K. C., **Lacy, M.**, Surace, J., Gilbank, D., Blindert, K., Hoekstra, H., Majumdar, S., Demarco, R., Gardner, J. P., Gladders, M.D. & Lonsdale, C. 2009, ApJ, 698, 1943

Millimeter observations of a sample of high redshift obscured quasars

Martínez-Sansigre, A., Karim, A., Schinnerer, E., Omont, A., Smith, D.B.J., Wu, J., Hill, G.J., Klöchner, H.-R., **Lacy, M.**, Rawlings, S. & Willott, C.J. 2009, ApJ, 706, 184

An infrared comparison of type-1 and type-2 quasars

Hiner, K.D., Canalizo, G., **Lacy, M.**, Sajina, A., Armus, L., Ridgway, S.E. & Storrie-Lombardi, L. 2009, ApJ, 706, 508

The Infrared Array Camera Dark Field: Far-infrared to X-ray data

Krick, J.E., Surace, J.A., Thompson, D., Ashby, M.L.N., Hora, J., Gorjian, V., Yan, L., Frayer, D.T., Egami, E. & **Lacy, M.** 2009, ApJS, 185, 85

On the 10-micron silicate feature in Active Galactic Nuclei

Nikutta, R., Elitzur, M. & **Lacy, M.** 2009, ApJ, 707, 1550

Spectroscopic Confirmation of Three Red-Sequence-Selected Galaxy Cluster at $z = 0.87, 1.16$ and 1.21 from the SpARCS survey

De Marco, R., Wilson, G., Muzzin, A., **Lacy, M.**, Surace, J., Yee, H.K.C., Hoestra, H., Blindert, K. & Gilbank, D. 2010, ApJ, 707, 1550

The contribution of high redshift galaxies to cosmic reionization: new results from WFC3 imaging of the Hubble Ultra Deep Field

Bunker, A.J., Wilkins, S., Ellis, R., Stark, D., Lorenzoni, S., Chiu, K., **Lacy, M.**, Jarvis, M. & Hickey, S. 2010, MNRAS, 409, 855

The environments of $z \sim 1$ active galactic nuclei at $3.6\mu m$

Falder, J.T., Stevens, J.A., Jarvis, M.J., Hardcastle, M.J., **Lacy, M.**, McLure, R.J., Hatziminaoglou, E., Page, M.J. & Richards, G.T. 2010, MNRAS, 405, 347

The extraordinary mid-infrared spectral properties of FeLoBAL quasars

Farrah, D., Urrutia, T., **Lacy, M.**, Lebouteiller, V., Spoon, H.W.W., Bernard-Salas, J., Connolly, N., Afonso, J., Connolly, B. & Houck J. 2010, ApJ, 717, 868

Obscured starburst activity in high redshift clusters and groups

Kocevski, D.D., Lemaux, B.C., Lubin, L.M., Gal, R.R., McGrath, E.J., Fassnacht, C.D., Squires, G.K., Surace, J.A., **Lacy, M.** 2010, ApJ, submitted arXiv1009.2750

Star formation and dust obscuration in the tidally-distorted galaxy NGC 2442

Pancoast, A., Sajina, A., **Lacy, M.**, Noriega-Crespo, A. Rho, J. 2010, ApJ, 723, 530

Evidence for a maximum jet efficiency for the most powerful radio galaxies

Fernandes, C.A.C., Jarvis, M.J., Rawlings, S., Martínez-Sansigre, A., Hatziminaoglou, E., **Lacy, M.**, Page, M.J., Stevens, J.A., Vardoulaki, E. 2010, MNRAS, 411, 1909

The multi-wavelength extreme starburst sample of luminous galaxies. I. sample characteristics

Laag, E., Croft, S., Canalizo, G. & **Lacy, M.** 2010, AJ, 140, 2052

The Spitzer high redshift radio galaxy survey

De Breuck, C., Seymour, N., Stern, D., Willner, S.P., Eisenhardt, P.R.M., Fazio, G.G., Galametz, A., **Lacy, M.**, Rettura, A., Rocca-Volmerange, B., Vernet, J. 2010, ApJ, 725, 36

Ultra-steep spectrum radio sources in the Lockman Hole: SERVS identifications and redshift distribution at the faintest radio fluxes

Afonso, J., Bizzocchi, L., Ibar, E., Grossi, M., Simpson, C., Chapman, S., Jarvis, M.J., Rottgering, H., Norris, R.P., Dunlop, J., Ivison, R.J., Messias, H.M., Pforr, J., Vaccari, M., Seymour, N., Best, P., E. González-Solares, E., Farrah, D., Huang, J.-S., **Lacy, M.**, Marastron, C.,

Marchetti, L., Mauduit, J.-C., Oliver, S., Rigopoulou, D., Stanford, S.A., Surace, J.A., Zeimann, G. 2010, ApJ, 743, 122

Deep Spitzer observations of infrared-faint radio sources: high redshift, radio-loud AGN?
Norris, R.P., Afonso, J., Cava, A., Farrah, D., Huynh, M.T., Ivison, R.J., Jarvis, M., **Lacy, M.**, Mao, M., Maraston, C., Mauduit, J.-C., Middelberg, E., Oliver, S., Seymour, N. & Surace, J. 2011, ApJ, 736, 55

The Spitzer Extragalactic Representative Volume Survey (SERVS): The environments of high-z SDSS quasi-stellar objects

Falder, J.T., Stevens, J.A., Jarvis, M.J., Bonfield, D.G., **Lacy, M.**, Farrah, D., Oliver, S., Surace, J., Mauduit, J.C., Vaccari, M., Marchetti, L., González-Solares, E., Afonso, J., Cava, A. & Seymour, N. 2011, ApJ, 735, 123

The Spitzer Extragalactic Representative Volume Survey: the cluster galaxy stellar mass function at $z \sim 1$

Geach, J.E., **Lacy, M.**, Farrah, D., Jarvis, M., Murphy, D., Bower, R., Mauduit, J.-C., González-Solares, E., Edge, E., Maraston, C., Smail, I., Cava, A., Romer, K., van Kampen, E., Röttgering, H., Lubin, L., Gal, R., Squires, G.K., Oliver, S., Surace, J. & Zeimann, G. 2010, ApJ, submitted

The stellar, molecular gas and dust content of the host galaxies of two $z \sim 2.8$ dust obscured quasars

Lacy, M., Petric, A.O., Martinez-Sansigre, A., Ridgway, S.E., Sajina, A., Urrutia, T. & Farrah, D. 2011, AJ, 142, 196

Obscured Starburst Activity in High-redshift Clusters and Groups

Kocevski, D. D., Lemaux, B.C., Lubin, L.M., Gal, R., McGrath, E.J., Fassnacht, C.D., Squires, G.K., Surace, J.A. & **Lacy, M.** 2011, ApJ, 736, 38

The Assembly of the Red Sequence at $z = 1$: The Color and Spectral Properties of Galaxies in the Cl1604 Supercluster

Lemaux, B. C., Gal, R. R., Lubin, L. M., Kocevski, D. D., Fassnacht, C. D., McGrath, E. J., Squires, G. K., Surace, J. A. & **Lacy, M.** 2012, ApJ, 745, 106

The Gemini Cluster Astrophysics Spectroscopic Survey (GCLASS): The Role of Environment and Self-regulation in Galaxy Evolution at $z \sim 1$

Muzzin, Adam; Wilson, Gillian; Yee, H. K. C.; Gilbank, David; Hoekstra, Henk; Demarco, Ricardo; Balogh, Michael; van Dokkum, Pieter; Franx, Marijn; Ellingson, Erica; Hicks, A.; Nantais, J.; Noble, A., **Lacy, M.**, Lidman, C., Rettura, A., Surace, J. & Webb, T. ApJ, 2012, 746, 188

Direct evidence for Termination of Star Formation by Radiatively-Derived Outflows in Reddened QSOs

Farrah, D., Urrutia, T., **Lacy, M.**, Efstathiou, A., Afonso, J., Coppin, K., Hall, P.B., Lonsdale, C., Jarrett, T., Bridge, C. & Borys, C. 2012, ApJ, 745, 178

Gas and dust in a $z=2.8$ obscured quasar Schumacher, H., Martnez-Sansigre, A., Lacy, M., Rawlings, S., Schinnerer, E. 2012, MNRAS, 423, 2132

The Spitzer Extragalactic Representative Volume Survey (SERVS): Survey Definition and Goals
Mauduit, J.-C., **Lacy, M.**, Farrah, D., Surace, J.A., Jarvis, M., Oliver, S., Maraston, C., Vaccari, M., Marchetti, L., Zeimann, G. et al. 2012, PASP, 124, 714

The Nature of LoBAL QSOs. I. SEDs and Mid-infrared Spectral Properties
Lazarova, M.S., Canalizo, G., **Lacy, M.** & Sajina, A. 2012, 755, 29

FIRST-2MASS Red Quasars: Transitional Objects Emerging from the Dust
Glikman, E., Urrutia, T., **Lacy, M.**, Djorgovski, S.G., Mahabal, A., Myers, A.D., Ross, N.P., Petitjean, P., Ge, J., Schneider, D.P. & York, D.G. 2012, ApJ, 757, 51

Spitzer Observations of Young Red Quasars

Urrutia, T., **Lacy, M.**, Spoon, H., Glikman, E., Petric, A. & Schulz, B. 2012, ApJ, 757, 125

Probing the $M_{BH} - \sigma^$ Relation in the Non-local Universe Using Red QSOs*

Canalizo, G., Wold, M., Hiner, K.D., Lazarova, M., **Lacy, M.** & Aylor, K. 2012, ApJ, 760, 38

Evidence for significant growth in the stellar mass of brightest cluster galaxies over the past 10 billion years

Lidman, C., Suherli, J., Muzzin, A., Wilson, G., Demarco, R., Brough, S., Rettura, A., Cox, J., DeGroot, A., Yee, H. K. C., Gilbank, D., Hoestra, H., Balogh, M., Ellingson, E., Hicks, A., Nantis, J., Noble, A., **Lacy, M.**, Surace, J., Webb, T., 2012, MNRAS, 427, 550

No evidence for Lyman emission in spectroscopy of $z \gtrsim 7$ candidate galaxies

Caruana, J., Bunker, A.J., Wilkins, S.M., Stanway, E.R., **Lacy, M.**, Jarvis, M.J., Lorenzoni, S., Hickey, S. 2012, MNRAS, 427, 3055

VLT/XSHOOTER and Subaru/MOIRCS spectroscopy of HUDF.YD3: no evidence for Lyman emission at $z = 8.55$

Bunker, A.J., Caruana, J., Wilkins, S.M., Stanway, E.R., Lorenzoni, S., **Lacy, M.**, Jarvis, M.J. & Hickey, S. 2013, MNRAS, 430, 3314

Far-infrared Properties of Type 1 Quasars

Hanish, D.J., Teplitz, H.I., Capak, P., Desai, V., Armus, L., Brinkworth, C., Brooke, T., Colbert, J., Fadda, D., Frayer, D., Huynh, M., **Lacy, M.**, Murphy, E., Noriega-Crespo, A., Paladini, R., Scarlata, C. & Shenoy, S. 2013, ApJ, 768, 13

Evidence for Active Galactic Nucleus Driven Outflows in Young Radio Quasars

Kim, M., Ho, L.C., Lonsdale, C.J., **Lacy, M.**, Blain, A.W., Kimball, A.E. 2012m ApJ, 768, L9

The Spitzer Mid-infrared Active Galactic Nucleus Survey. I. Optical and Near-infrared Spectroscopy of Obscured Candidates and Normal Active Galactic Nuclei Selected in the Mid-infrared
Lacy, M., Ridgway, S.E., Gates, E.L., Nielsen, D.M., Petric, A.O., Sajina, A., Cox Drews, S., Harrison, C., Seymour, N. & Storrie-Lombardi, L.J. 2013, ApJS, 208, 24

Dust Reddened Quasars in FIRST and UKIDSS: Beyond the Tip of the Iceberg

Glikman, E., Urrutia, T., **Lacy, M.**, Djorgovski, S.G., Urry, M., Croom, S., Scheider, D.P., Mahabal, A., Graham, M. & Ge, J. 2013, ApJ, 778, 127

The X-ray spectrum and spectral energy distribution of FIRST J155633.8+351758: a LoBAL quasar with a probable polar outflow

Berrington, R.C., Brotherton, M.S., Gallagher, S.C., Ganguly, R., Shang, Z., DiPompeo, M., Chatterjee, R., **Lacy, M.**, Gregg, M.D., Hall, P.B., Laurent-Muehleisen, S.A. 2013, MNRAS, 436, 3321

Selected unrefereed publications

The importance of radio sources in accounting for the most massive black holes
M. Lacy, S. Ridgway & N. Trentham, 2002, NewAR, 46, 211

Quasar environments at $0.5 < z < 0.8$

M. Wold, **M. Lacy**, P.B. Lilje, S. Serjeant, 2000, To appear in the proc. of "The NOT in the 2000s", held on La Palma, April 12-14, 2000

The production mechanism of radio jets in AGN and quasar grand unification
Lacy, M., 2003, ASP Conf. Ser. 290, 343

Observations of quasar host galaxies with laser guide star AO

Gates, E. L., **Lacy, M.**, & de Vries, W. 2004, Proc SPIE, 5490, 421

Mid-infrared selection of Quasar-2s in Spitzer's First Look Survey

Lacy, M., Canalizo, G., Rawlings, S., Sajina, A., Storrie-Lombardi, L., Armus, L., Marleau, F. R., & Muzzin, A. 2005, Memorie della Societa Astronomica Italiana, 76, 154

Quasars and Their Host Galaxies

Lacy, M. 2006, Astrophysics Update 2, 195

Radio galaxies and type-2 quasars in the Spitzer Extragalactic First Look Survey

Lacy, M., Sajina, A., Gates, E., & the XFLS team 2006, Astronomische Nachrichten, 327, 258

A Spitzer/IRS search for the galaxies that reionized the Universe

Lacy, M., Bunker, A. J., Kneib, J.-P., & Teplitz, H. I. 2006, The Universe at $z > 6$, 26th meeting of the IAU, Joint Discussion 7, 17-18 August 2006, Prague, Czech Republic, JD07, #8, 7

The LSST Science Book

LSST Science collaboration, 2009, arXiv0912.0201

Spectral energy distributions of quasars selected in the mid-infrared

Lacy, Mark, Sajina, Anna, Ridgway, Susan E., Nielsen, Danielle M., Urrutia, Tanya, Farrah, Duncan, Gates, Elinor L. To appear in the proceedings of The Spectral Energy Distribution of Galaxies, Preston, September 2011, eds R.J. Tuffs & C.C. Popescu (arXiv1203.4521)

A design concept for a Very Large Array Sky Survey

Richards, G., Becker, R., Brotherton, M. Fan. X., Glikman, E., Hodge, J., Ivezić, Z., Kimball, A., **Lacy, M.**, Mao, M., McGreer, I., Strauss, M. & White, R. 2013. White paper submitted in response to the call for VLA Sky Survey suggestions.